

COMPACT M 04

TWO-WAY PASSIVE SPEAKER

DESCRIPTION

COMPACT M 04 is a multipurpose two-way full-range coaxial speaker system, suitable for a wide range of applications. Its balanced sound is a big asset in near-field applications for the best intelligibility. M 04 features high sensitivity, thanks to the use of oversized magnets, and a HI-FI sound quality, with smooth and wide frequency response. The SPL level of low-distortion audio the M 04 can provide goes far beyond expectations of such a compact solution. The elegant and compact design with accurate finishing makes M 04 suitable for almost any environment, even with architectural constraints. Included wall mount bracket allow the use of the M 04 on wall or ceiling installations.



FEATURES

- 60W RMS power handling
- 113 dB max SPL
- 90 ÷ 20000 Hz frequency range
- 120° x 120° constant directivity coverage angle
- 1 x 4" coax woofer
- 1 x 1" voice coil neodymium dome tweeter
- High quality plywood cabinet
- Wall mount bracket included



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	90 Hz ÷ 20000 Hz
	Max SPL @ 1m	113 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	120°
	Directivity index Q	6
	System Sensitivity	89 dB
Power section	Amplification	Full Range
	Nominal Impedance	16 ohm
	Power Handling	60 W
	Peak Power Handling	240 W PEAK
	Crossover Frequencies	1800 Hz
	Recommended Amplifiers	DMA 162, DMA 162P, DMA 504, DMA 82
Transducers	Dome Tweeter	1.0" neo, 1.0" v.c
	Woofers	4.0", 1.0" v.c
Input/Output section	Input connectors	Euroblock
	Output connectors	Euroblock
Standard compliance	Safety agency	CE compliant
Physical specifications	Hardware	2 x M6, 2 x M8
	Color	Black - RAL 9005, White - RAL 9003
Size	Height	148 mm / 5.83 inches
	Width	132 mm / 5.2 inches
	Depth	145 mm / 5.71 inches
	Weight	2.3 kg / 5.07 lbs
Shipping information	Package Height	168 mm / 6.61 inches
	Package Width	233 mm / 9.17 inches
	Package Depth	150 mm / 5.91 inches
	Package Weight	2.9 kg / 6.39 lbs


PART NUMBER

• **13000725**

COMPACT M 04 W
 White - RAL 9003
 EAN 8024530019372








• **13000623**









COMPACT M 04
 Black - RAL 9005
 EAN 8024530018740











SPEAKER COMPACT M 04

REV. E









A&E SPECIFICATIONS

The product shall be a multipurpose two-way full-range speaker, suitable for a wide range of applications, providing a balanced sound in near-field applications to get the best intelligibility.

It shall feature high sensitivity, typical of professional audio cabinets and a Hi-Fi sound quality, with smooth and wide frequency response, thanks to a wave-guided dome tweeter.

Its design shall be elegant and compact with accurate finishing, suitable for almost any environment, even with architectural constraints.

Mounting accessory shall be included for wall or ceiling installations.
