

## SOLID SHINE Series

Large-Venue



3-Chip DLP™ Laser light source models  
Lens not included with 3-Chip DLP™ models.



PT-RQ50K 50,000 lm Native 4K<sup>1</sup> 4K<sup>2</sup> GeoPro



PT-RQ35K 30,500 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro



PT-RZ34K 30,500 lm WUXGA 4K<sup>3</sup> GeoPro

PT-RQ25K 20,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro

PT-RZ24K 20,000 lm WUXGA 4K<sup>3</sup> GeoPro

PT-RQ18K 16,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro

PT-RZ17K 16,000 lm WUXGA 4K<sup>3</sup> GeoPro

Installation



1-Chip DLP™ Laser light source models  
Lens not included with 'L' models.



PT-REQ15/L 15,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro

PT-REQ12/L 12,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro

PT-REQ10/L 10,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro

PT-REQ80/L 8,000 lm 4K<sup>2</sup> 4K<sup>3</sup> GeoPro



PT-REZ15/L 15,000 lm WUXGA 4K<sup>3</sup> GeoPro

NEW PT-REZ12/L 12,000 lm WUXGA 4K<sup>3</sup> GeoPro

PT-REZ10/L 10,000 lm WUXGA 4K<sup>3</sup> GeoPro

PT-REZ80/L 8,000 lm WUXGA 4K<sup>3</sup> GeoPro


Installation




1-Chip DLP™ Laser light source models  
Lens not included with 'L' models.



PT-RQ7L 7,500 lm 4K<sup>5</sup> 4K<sup>6</sup> GeoPro




PT-RQ6L 6,500 lm 4K<sup>5</sup> 4K<sup>6</sup> GeoPro



PT-RZ7L\* 7,500 lm WUXGA 4K<sup>5</sup> GeoPro



PT-RZ6L\* 6,500 lm WUXGA 4K<sup>5</sup> GeoPro



PT-RZ790/L 7,000 lm WUXGA 4K<sup>5</sup> GeoPro



PT-RZ690/L 6,000 lm WUXGA 4K<sup>5</sup> GeoPro



1-Chip DLP™ Laser light source models (Lens fixed)



PT-FRQ60 6,000 lm 4K<sup>7</sup> 4K<sup>8</sup> GeoPro



PT-FRQ50 5,200 lm 4K<sup>7</sup> 4K<sup>8</sup> GeoPro



PT-FRZ60 6,000 lm WUXGA 4K<sup>5</sup> GeoPro



PT-FRZ50 5,200 lm WUXGA 4K<sup>5</sup> GeoPro



Short Throw model PT-FRZ55\* 5,000 lm WUXGA 4K<sup>5</sup> GeoPro



LCD Laser light source models



PT-MZ20KL 20,000 lm WUXGA 4K<sup>5</sup> GeoPro



PT-MZ17KL 16,500 lm WUXGA 4K<sup>5</sup> GeoPro




PT-MZ14KL 14,000 lm WUXGA 4K<sup>6</sup> GeoPro



PT-MZ11KL 11,000 lm WUXGA 4K<sup>5</sup> GeoPro




PT-MZ882 8,200 lm WUXGA 4K<sup>5</sup> GeoPro




PT-MZ782 7,500 lm WUXGA 4K<sup>5</sup> GeoPro




PT-MZ682 6,500 lm WUXGA 4K<sup>5</sup> GeoPro



PT-MZ880 8,000 lm WUXGA 4K<sup>5</sup> GeoPro



PT-MZ780 7,000 lm WUXGA 4K<sup>5</sup> GeoPro



PT-MZ680 6,000 lm WUXGA 4K<sup>5</sup> GeoPro


Portable




LCD Laser light source models (Lens fixed)



PT-VMZ71\* 7,000 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-VMZ61\* 6,200 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11




PT-VMZ51 5,200 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11




PT-VMZ51S 5,200 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-LMZ460 4,600 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-LMZ420 4,200 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11




PT-LMW460 4,600 lm WXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-LMW420 4,200 lm WXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-LMX460 4,600 lm XGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-LMX420 4,200 lm XGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11

Short Throw



LCD Laser light source models (Lens fixed)



PT-TMZ400 4,000 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-TMW380 3,800 lm WXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11



PT-TMX380 3,800 lm XGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11

Ultra Short Throw



LCD Laser light source models (Lens fixed)



PT-CMZ50 5,200 lm WUXGA 4K<sup>9</sup> 4K<sup>10</sup> 4K<sup>11</sup> 10 11

Portable

LCD Lamp based models



PT-VW360 4,000 lm WXGA 11 11




PT-VX430 4,500 lm XGA 11 11



PT-LW376 3,600 lm WXGA 11 11



PT-LW336 3,100 lm WXGA 11 11



PT-LB426 4,100 lm XGA 11 11



PT-LB356 3,300 lm XGA 11 11



PT-LB306\* 3,100 lm XGA 11 11

Short Throw


LCD Lamp based models



PT-TW381R 3,300 lm WXGA 11 11



PT-TW380 3,300 lm WXGA 11 11



PT-TX440\* 3,800 lm XGA 11 11



PT-TX350\* 3,200 lm XGA 11 11

Peripheral

Media Processor



ET-FMP50 ET-FMP20



ET-SBFMP10 SDM type

1: Resolution 4096 x 2160 Pixels. 2: Resolution 3840 x 2400 Pixels (Quad Pixel Drive: ON). 3: Available in Japan, US and Canada  
4: The availability varies depending on the country. 5: With Smooth Pixel Drive ON.  
6: HDMI/DIGITAL LINK input only. 7: Resolution 3840 x 2160 Pixels (With Quad Pixel Drive).  
8: HDMI input only. Supports signals up to 4K/30p. 9: HDMI/DIGITAL LINK input only. Supports signals up to 4K/30p.  
10: To operate wireless projection, the optional Wireless Module AJ-WM50 is required.  
11: To operate wireless projection, the optional Wireless Module ET-WML100 (Stock limited)/AJ-WM50 is required.

\*: Available in black/white cabinet.  
Ⓢ: The projector is able to emulate the same control commands of most previous Panasonic projectors when it is replacing.

Note: [L] Lens-less model. The specifications are subject to change without notice.  
For more information, please visit the website >> [panasonic.net/cns/projector/](http://panasonic.net/cns/projector/)