



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER



Description The SUB 15-AX is a portable 15" high-power active subwoofer for live sound applications with fully featured processing, a color touch panel, and remote control via Bluetooth®. The combination of a latest-generation transducer with a powerful Class-D amplifier delivers sound pressure levels up to 133 dB with exceptional clarity and headroom. SUB AX subwoofers are designed specifically for small to mid-sized venues and ideal for portable applications. SUB 15-AX is the ideal complement for 10" or 12" woofer-size loudspeakers; it centralizes speaker management inside the subwoofer, providing dual crossovers, 8-band EQs, routing, delays, cardioid configurations, and recallable crossover presets. The polyurea-coated all-wood cabinet features a sealed Powercon True1 Top connector.

- Features**
- › 2200 Watt Class-D Amplifier
 - › 133 dB MAX SPL
 - › 15" Woofer, bass reflex housing
 - › Digital Crossover w/ Presets
 - › Multi-ply hardwood polyurea-coated
 - › LiveRemote App
 - › Dual XLR/TRS combo Input + Link, Dual XLR Xover Out
 - › Bass Motion Control excursion management
 - › Powercon True1 Top Sealed AC Connector


Part Number	13000832 SUB 15-AX	100-120 V	Black	EAN 8024530021849
	13000835 SUB 15-AX	220-240 V	Black	EAN 8024530021818
	13000877 SUB 15-AX W	100-120 V	White	EAN 8024530021894
	13000878 SUB 15-AX W	220-240 V	White	EAN 8024530022044



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response Max SPL @ 1m	35 Hz ÷ 120 Hz 133 dB
Transducers	Woofer	1 x 15", 3.0" v.c
Input/Output section	Input signal Input connectors Output connectors Input sensitivity	bal/unbal Combo XLR/Jack XLR -2 dBu/+4 dBu
Processor section	Protections Limiter Controls	Thermal Soft Limiter Encoder for Volume control and data entry. Touch Screen for parameter management and monitor.
Power section	Total Power Cooling Connections	2200 W Peak, 1100 W RMS Convection Powercon TRUE1 TOP IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material Handles Pole mount/Cap Grille Color	Plywood 1 handle per side M20 thread Steel Black, White
Size / Weight	Height Width Depth Weight	590 mm / 23.23 inches 420 mm / 16.54 inches 590 mm / 23.23 inches 31.4 kg / 69.23 lbs
Rigging / Mounting	ACCESSORIES POLE MOUNT KITS 13360638 PM-KIT M20 13360067 PM-KIT M20	White Black EAN 8024530022303 EAN 8024530014599



SUB 15-AX

PROFESSIONAL ACTIVE 15" SUBWOOFER

Protections	BAGS, COVERS 13360529 CVR 004	Black	EAN 8024530020415
-------------	----------------------------------	-------	-------------------