



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER



Description The SUB 8004-AS is one of the most powerful 18" subwoofers in pro-sound category. Featuring a high power, hypervented 18" woofer, with 4" inside/outside voice coils, this cabinet is designed to deliver a serious amount of low frequency. Powered by a 1250W digital amplifier module, the SUB 8004-AS can perform in the most demanding situations. The input board includes volume control, deep/punch switch, high pass switch, phase switch, cardioid, time delay.

- Features**
- › 2500 Watt Peak
 - › 136 dB max SPL
 - › 30 Hz - 120 Hz frequency response
 - › 18" Woofer, 4.0" voice coil vented woofer
 - › DSP controlled Input section with selectable presets
 - › Delay control
 - › Baltic birch tour grade cabinet
 - › Compatible with NXL23-A (stacking)
 - › Compatible with NXL24-A (stacking)
 - › Multiple configurations with HDL 10-A and HDL 20-A


Part Number	13000392 SUB 8004-AS	220-240 V	Black	EAN 8024530010607
	13000393 SUB 8004-AS	115 V	Black	EAN 8024530010751



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	30 Hz ÷ 120 Hz
	Max SPL @ 1m	136 dB
Transducers	Woofer	1 x 18", 4.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Hi-Pass Frequencies	120 Hz
	Low-Pass Frequencies	90 Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Xover, Phase switch, Deep/Punch, Outuput Delay Settings, Cardioid
Power section	Total Power	2500 W Peak, 1250 W RMS
	Low frequencies	2500 W Peak, 1250 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	Provision for four wheel mounting on the rear panel.
	Handles	One handle each side
	Pole mount/Cap	M20 thread
	Grille	Steel with clothing
	Color	Black
Size / Weight	Height	700 mm / 27.56 inches
	Width	558 mm / 21.97 inches
	Depth	700 mm / 27.56 inches
	Weight	56 kg / 123.46 lbs



SUB 8004-AS

ACTIVE HIGH POWER SUBWOOFER

Rigging / Mounting	ACCESSORIES		
	POLE MOUNT KITS		
	13360232	AC PMX	EAN 8024530010058
	13360067	PM-KIT M20	Black EAN 8024530014599
Protections	STACKING KITS		
	13360231	STCK-KIT SUB 8006	Black EAN 8024530018672
Transportation	COVERS		
	13360286	CVR SUB 8004	Black EAN 8024530011666
Cables	WHEELS		
	13360238	WH PRO 4X	EAN 8024530018320
	CABLES KIT		
	13360102	AC XLR 3M3F	EAN 8024530006402